Subject index

- Abscess, sternal, due to Bartonella (Rochalimaea) henselae in a renal transplant patient (case report) 431
- Acetabular bone deficiencies, observer variation in the detection of 272
- Acetabular roof and sacrum, insufficiency fractures of, role of MRI in the diagnosis of 517
- Acetabulum, avascular osteonecrosis of 509
- Acromegalic gigantism, bilateral slipped capital femoral epiphysis occurring in an adult with (case report) 188
- Acromial morphology, reliability of radiographic evaluation for 718
- Acute knee trauma: how many plain film views are necessary for the initial examination? 298
- Age-related changes in normals and in diffuse neoplastic infiltration: MRI gadolinium enhancement of bone marrow 414
- Alveolar echinococcosis, bone and soft tissue manifestations of 289
- Amyloidosis, hemodialysis-related, of the sternoclavicular joint (case report) 428
- Aneurysmal bone cysts, metachronous multiple (*case report*) 564
- Angiomyoma of the lower extremity: MR findings (case report) 443
- Ankle joint, MRI of injuries to: can it predict clinical outcome? 82
- Ankle: Os sustentaculi: depiction on MR images (case report) 505
- Ankle, rheumatoid, a frequent manifestation of: distal fibular notch 529
- Anterior cruciate ligament reconstruction, tunnel placement in: MRI analysis as an important factor in the radiological report 409
- Anteroinferior tears of the glenoid labrum: fat-suppressed fast spin-echo T2 versus gradient-recalled echo MR images 293
- Arthritis, patellofemoral, malposition of the tibial tubercle during flexion in knees with 597
- Arthrography, MR, of the wrist, scapholunate interosseous ligament in: correlation with non-enhanced MRI and wrist arthroscopy 263
- Arthropathy, erosive, of the hand, natural of course of, in patients undergoing hemodialysis 20
- Autosomal dominant osteopetrosis: report of a Norwegian family with radiographic or anamnestic findings differing from the generally accepted classification 173
- Avascular osteonecrosis of the acetabulum 509
- Bartonella (Rochalimaea) henselae, sternal abscess due to, in a renal transplant patient (case report) 431
- Benign and malignant cartilage tumors of

- bone and joint: their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology. I. The intramedullary cartilage tumours 325
- Benign giant cell tumor of bone with osteosarcomatous transformation ('dedifferentiated' primary malignant GCT): report of two cases 246
- Bilateral fracture-dislocation of the sacroiliac joint (case report) 556
- Bilateral slipped capital femoral epiphysis occurring in an adult with acromegalic gigantism (case report) 188
- Bone and soft tissue manifestations of alveolar echinococcosis 289
- Bone density in the proximal femur and lumbar spine of children, correlation between dual-energy X-ray absorptiometry measures of 544
- Bone marrow abnormalities, post-traumatic, comparison of pulse sequences in the detection of, at low field strength MRI 538
- Bone marrow, MRI gadolinium enhancement of: age-related changes in normals and in diffuse neoplastic infiltration 414
- Bone marrow, red, MR assessment of distribution and composition in the proximal femur: correlation with clinical and laboratory parameters 589
- Bone reconstruction, large, in skeletally immature patients, imaging of vascularized fibular grafts in 404
- Brachial plexopathy, radiation-induced: MR imaging of 284
- Breast carcinoma, osteoblastic metastases from, with false-negative bone scan (case report) 434
- C2-3 facet joint 'pseudo-fusion': anatomic basis of a normal variant 27
- Calcified synovial sarcoma (case report) 671
- Calcifying epithelioma of Malherbe (pilomatrixoma): imaging features (case report) 602
- Candida osteomyelitis and disc space infection of the lumbar spine (case report)
- Carpal tunnel syndrome, dynamic MR imaging of 482
- Cartilage tumors of bone and joint, benign and malignant: Their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology. I. The intramedullary cartilage tumors 325
- Cervical spine: C2-3 facet joint 'pseudofusion': anatomic basis of a normal variant 27
- Cervical spine, degenerative change in, and load-carrying on the head 475
- Chiari malformation and tonsillar ectopia in twin brothers and father with autoso-

- mal dominant spondyloepiphyseal dysplasia tarda (case report) 131
- Children, correlation between dual-energy X-ray absorptiometry measures of bone density in the proximal femur and lumbar spine of 544
- Chloroma of the shoulder, MRI features (case report) 70
- Chondroblastoma with multiple distant soft tissue metastases (case report) 493
- Chondroid, intramedullary, tumors of bone: correlation of abnormal peritumoral marrow and soft-tissue MRI signal with tumor type 100
- Chondromyxoid fibroma, juxtacortical: imaging findings in three cases and a review of the literature 642
- Chondromyxoid fibroma of the lumbar spine (case report) 488
- Chondrosarcoma as a complicating factor in Paget's disease of bone (case report)
- Chondrosarcoma, dedifferentiated, in patients with multiple osteochondromatosis: report of a case and review of the literature 70
- Chondrosarcoma, extraskeletal mesenchymal, of the rectus sheath (*case report*)
- Chondrosarcoma, periosteal, invading the medullary cavity (case report) 375
- Chondrosarcoma, synovial, arising in synovial chondromatosis of the right hip (case report) 366
- Chondrosarcoma, synovial: report of a case and review of the literature 682
- Chronic recurrent multifocal osteomyelitis: a radiological and clinical investigation of five cases 579
- Chronic recurrent multifocal osteomyelitis, MRI in 230
- Clavicle, distal, osteolysis of, does it occur following spinal cord injury?
- Comparison of pulse sequences in the detection of post-traumatic bone marrow abnormalities at low field strength MRI 538
- Computed tomography of sternoclavicular joint lesions in spondylarthropathies 419
- Correlation between dual-energy X-ray absorptiometry measures of bone density in the proximal femur and lumbar spine of children 544
- Costo-transverse joints, contralateral, tuberculosis of (case report) 741
- CRMO: a radiological and clinical investigation of five cases 579
- Crouzon syndrome, hand anomalies in 113
- CT, helical, of talar fractures 137 CT of sternoclavicular joint lesions in
- spondylarthropathies 419 Cyst, unicameral bone, epiphyseal extension of (*case report*) 51

Dedifferentiated chondrosarcoma in patients with multiple osteochondromatosis: report of a case and review of the literature 370

Dedifferentiated parosteal osteosarcoma of the radius (case report) 242

Degenerative change in the cervical spine and load-carrying on the head

Degenerative disk disease at the lumbosacral junction, plain film evaluation of

Degenerative joint disease: cartilage or vascular disease? 398

Dermatologic conditions with skeletal abnormalities: skin and bones 201

Developmental dysplasia of the hip, radiologist's guide to the imaging in the diagnosis and treatment of. I. General considerations, physical examination as applied to real-time sonography and radi-

ography 386

Developmental dysplasia of the hip, radiologist's guide to the imaging in the diagnosis and treatment of. II. Ultrasonography: anatomy, technique, acetabular angle measurements, acetabular coverage of femoral head, acetabular cartilage thickness, three-dimensional technique, screening of newborns, study of older children 447

DEXA measures of bone density in the proximal femur and lumbar spine of children, correlation between 544

Diabetic muscle infarction, MRI diagnosis of: report of 2 cases 122

Diffuse idiopathic skeletal hyperostosis (DISH), prevalence of, in two large American Midwest metropolitan hospital populations 222

Diffuse neoplastic infiltration, MRI gadolinium enhancement of bone marrow: age-related changes in normals and in

DISH (diffuse idiopathic skeletal hyperostosis), prevalence of, in two large American Midwest metropolitan hospital populations 222

Disk disease, degenerative, at the lumbosacral junction, plain film evaluation of

Dislocation, posterior, translational injuries in elbow (case report) 134

Distal fibular notch: a frequent manifestation of the rheumatoid ankle 529 Does osteolysis of the distal clavicle occur

following spinal cord injury? 16 Dual-energy X-ray absorptiometry measures of bone density in the proximal femur and lumbar spine of children, correlation between 544

Dynamic MR imaging of carpal tunnel syndrome 482

Dysplasia epiphysealis hemimelica of the knee, MRI appearances of 226

Dysplasia of the hip, developmental, radiologist's guide to the imaging in the diagnosis and treatment of. I. General considerations, physical examination as applied to real-time sonography and radiography 386

Dysplasia of the hip, developmental, radiologist's guide to the imaging in the diagnosis and treatment of. II. Ultrasonography: anatomy, technique, acetabular angle measurements, acetabular coverage of femoral head, acetabular cartilage thickness, three-dimensional technique, screening of newborns, study of older children 447

Dysplastic adult hips, radiographic mea-

surements of 75

Echinococcosis, alveolar, bone and soft tissue manifestations of 289

Effusions, Morel-Lavallée, in the thigh Elbow dislocation, posterior, translational

injuries in (case report) 134 Embryonal rhabdomyosarcoma of foot with expansive growth between meta-

tarsals (case report) 128 Enlarged peroneal process with peroneus longus tendon entrapment (case report)

Enzyme replacement in Gaucher disease, assessment of skeletal involvement and therapeutic responses to 687

Epiphyseal extension of a unicameral bone cyst (case report) 51

Epithelioid fibrosarcoma, sclerosing: short T2 on MR imaging (case report)

Epithelioid sarcoma with unusual radiological findings (case report) 606

Epithelioma, giant calcifying, of Malherbe (pilomatrixoma): imaging features (case report) 602

Erosive arthropathy of the hand, natural course of, in patients undergoing hemodialysis 20

Ewing's sarcoma of the thumb (case report) 725

Ewing's sarcoma presenting as a solitary bone cyst (case report) 722

Ewing's sarcoma, skip metastases in: a report of three cases 379

Extensively calcified synovial sarcoma (case report) 671

Extraskeletal mesenchymal chondrosarcoma of the rectus sheath (case report)

Facet instability, traumatic thoracolumbar, characteristic imaging findings 360

Facet joint 'pseudo-fusion', C2-3: anatomic basis of a normal variant 27

Fat-suppressed MRI of musculoskeletal infection: fast T2-weighted techniques versus gadolinium-enhanced T1-weighted images 654

Femoral head, entire, ischaemic necrosis of, and rapidly destructive hip disease: potential causative relationship 143

Fibrolipomatous hamartoma: MR imaging findings 155

Fibrosarcoma, sclerosing epithelioid: short T2 on MR imaging (case report) 619

Fibrous dysplasia of bone: case report with autopsy study 80 years after the original clinical recognition of the bone lesions

Fluid-fluid level in an intraosseous ganglion (case report) 667

Fracture, medial Segond-type: cortical avulsion off the medial tibial plateau associated with tears of the posterior cruciate ligament and medial meniscus (case report) 553

Fracture-dislocation, bilateral, of the sacroiliac joint (case report) 556

Fracture-dislocation of the sacroiliac joint and pubic osteolysis mimicking a malignant lesion: report of a case 438

Fractures, insufficiency, of the sacrum and acetabular roof, role of MRI in the diagnosis of 517

Fractures, ischiopubic insufficiency: MRI appearances 705

Fractures, parasymphyseal insufficiency, of the os pubis, MR appearance of 525

Fractures, pelvic insufficiency, associated with radiation atrophy: clinical recognition and diagnostic evaluation 94

Fractures, supra-acetabular insufficiency, MRI of 279

Fractures, talar, helical CT of 137 Fusion, pseudo, C2-3 facet joint: anatomic basis of a normal variant 27

Ganglion, intraosseous, fluid-fluid level in (case report) 667

Ganglion, intraosseous, in a 6-year-old boy (case report) 67

Gaucher disease: assessment of skeletal involvement and therapeutic responses to enzyme replacement 687

Giant calcifying epithelioma of Malherbe (pilomatrixoma): imaging features (case report) 602

Giant cell tumor, benign, of bone with osteosarcomatous transformation ('dedifferentiated' primary malignant GCT): report of two cases 246

Gigantism, acromegalic, bilateral slipped capital femoral epiphysis occurring in an adult with (case report) 188

Glenoid labrum, anteroinferior tears of: fat suppressed fast spin-echo T2 versus gradient-recalled echo MR images

Glomus tumors, multiple, of the finger, MRI of (case report) 664

Gluteal manifestation of advanced Hodgkin's disease (case report) 622

Gorham syndrome of the thorax and cervical spine: CT and MRI findings (case report) 55

Gorham's disease of the radius: radiographic, scintigraphic and MRI findings with pathologic correlation. A case report and review of the literature 659

Gouty tophi, periosteal, of the anterior mid tibia (case report) 260

Gouty tophus simulating soft tissue tumor in a heart transplant recipient (case report) 626

Grafts, vascularized fibular, imaging of, in large bone reconstruction in skeletally immature patients 404

Granular cell tumor, intramuscular malignant (case report) 116

Hamartoma, fibrolipomatous: MR imaging findings 155

Hand anomalies in Crouzon syndrome

Hand: Ewing's sarcoma of the thumb (case report) 725

Hand, natural course of erosive arthropathy of, in patients undergoing hemodialysis 20

Helical CT of talar fractures 137

Hemangioendothelioma, malignant, of the left calcaneus associated with fever and hematological abnormalities (case report) 64

Hemangioendothelioma, spindle cell, Maffucci's syndrome associated with (case report) 191

Hemangiopericytoma, primary, of bone located in the tibia (case report) 47

Hemodialysis, natural course of erosive arthropathy of the hand in patients undergoing 20

Hemodialysis-related amyloidosis of the sternoclavicular joint (case report) 428

Hemophilic pseudotumor: spectrum of MR findings 468

Hibernoma, MR imaging findings in (letter to the editors) 507

Hip: avascular osteonecrosis of the acetabulum 509

Hip, developmental dysplasia of, the radiologist's guide to the imaging in the diagnosis and treatment of. II. Ultrasonography: anatomy, technique, acetabular angle measurements, acetabular coverage of femoral head, acetabular cartilage thickness, three-dimensional technique, screening of newborns, study of older children 447

Hip disease, rapidly destructive, and ischaemic necrosis of the entire femoral head: potential causative relationship

Hip, luxatio erecta of: a critical retrospective (case report) 548

Hip: observer variation in the detection of acetabular bone deficiencies 272

Hip, radiologist's guide to the imaging in the diagnosis and treatment of developmental dysplasia of. I. General considerations, physical examination as applied to real-time sonography and radiography 386

Hip replacement, total, malignant fibrous histiocytoma at the site of: review of the literature and case report 559

Hip: supra-acetabular insufficiency fractures, MRI of 279

Hips, dysplastic adult, radiographic measurements of 75

Hodgkin's disease, advanced, gluteal manifestation of (case report) 622

Hyperparathyroidism associated with sarcoma of bone 107

Hyperplastic callus formation in osteogenesis imperfecta (letter to the editors) 744

Iliopsoas myositis mimicking appendicitis: MRI diagnosis (case report) 316

Iliotibial band syndrome, MR findings in

Imaging in the diagnosis and treatment of developmental dysplasia of the hip, radiologist's guide to.l. General considerations, physical examination as applied to real-time sonography and radiography

Imaging in the diagnosis and treatment of developmental dysplasia of the hip, radiologist's guide to. II. Ultrasonography: anatomy, technique, acetabular angle measurements, acetabular coverage of femoral head, acetabular cartilage thickness, three-dimensional technique, screening of newborns, study of older children 447

Imaging of primary multifocal osseous lymphoma 35

Imaging of vascularized fibular grafts in large bone reconstruction in skeletally immature patients 404

Infantile myofibromatosis (case report)

Infarction, diabetic muscle, MRI diagnosis of: report of 2 cases 122

Infection, musculoskeletal, fat-suppressed MRI of: fast T2-weighted techniques versus gadolinium-enhanced T1-weighted images 654

Instability, traumatic thoracolumbar facet: characteristic imaging findings 360 Insufficiency fractures, ischiopubic: MRI

appearances 705

Insufficiency fractures of the sacrum and acetabular roof, role of MRI in the diagnosis of 517

Insufficiency fractures, parasymphyseal, of the os pubis, MR appearance of 525

Insufficiency fractures, pelvic, associated with radiation atrophy: clinical recognition and diagnosis evaluation 94

Insufficiency fractures, supra-acetabular, MRI of 279

Intramedullary cartilage tumours: Benign and malignant cartilage tumors of bone and joint: their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology, part I 325

Intramedullary chondroid tumors of bone: correlation of abnormal peritumoral marrow and soft-tissue MRI signal with tumor type 100

Intramuscular malignant granular cell tumor (case report) 116

Intraneural synovial sarcoma (case report)

Intraosseous ganglion, fluid-fluid level in (case report) 667

Intraosseous ganglion in a 6-year-old boy (case report) 67

Intraosseous neurilemmoma of the fibula (case report) 60

Ischaemic necrosis of the entire femoral head and rapidly destructive hip disease: potential causative relationship 143

Ischiopubic insufficiency fractures: MRI appearances 705

Juxtacortical chondromyxoid fibroma: imaging findings in three cases and a review of the literature 642

Knee: medial Segond-type fracture: cortical avulsion off the medial tibial plateau associated with tears of the posterior cruciate ligament and medial meniscus (case report) 553

Knee, meniscal position on routine MR imaging of 424

Knee trauma, acute: how many plain film views are necessary for the initial examination? 298

Knee: tunnel placement in anterior cruciate ligament reconstruction: MRI analysis as an important factor in the radiological report 409

Knee: untreated osteochondritis dissecans of the femoral condyles: prediction of patient outcome using radiographic and MR findings 463

Knees with patellofemoral arthritis, malposition of the tibial tubercle during flexion in 597

Laser guidance system for percutaneous musculoskeletal procedures, potentials of 650

Ligament reconstruction, anterior cruciate, tunnel placement in: MRI analysis as an important factor in the radiological report 409

Ligament, spring, traumatic tear of, in a pole vaulter, MR diagnosis of (case report) 310

Limb salvage surgery for osteosarcoma of the distal femur, MR imaging based strategies in 636

Lipoma and liposarcoma, septum-like structures in: MR imaging and pathologic correlation 150

Liposarcoma and lipoma, septum-like structures in: MR imaging and pathologic correlation 150

Liposarcoma of soft tissue: MRI findings with pathologic correlation 167

Lumbar spine, candida osteomyelitis and disc space infection of (case report) 42 Luxatio erecta of the hip: a critical retro-

spective (case report) 548 Lymphoma arising in Paget's disease (case

report) 729

Lymphoma, non-Hodgkin, in skeletal muscle manifesting as homogeneous masses with CT attenuation similar to muscle

Lymphoma of bone, primary non-Hodgkin, MRI appearance of 629

Lymphoma, primary multifocal osseous, imaging of 35

Maffucci's syndrome associated with spindle cell hemangioendothelioma (case report) 191

Magnetic resonance imaging features of chloroma of the shoulder (case report)

Magnetic resonance imaging of injuries to the ankle joint: can it predict clinical outcome? 82

Magnetic resonance imaging of osteonecrosis in divers: comparison with plain radiographs 354

Malignant and benign cartilage tumors of bone and joint: their anatomic and theoretical basis with an emphasis on radiology, pathology and clinical biology. I. The intramedullary cartilage tumours 325

Malignant degeneration of radiation-induced osteochondroma (case report) 195

Malignant fibrous histiocytoma at the site of a total hip replacement: review of the literature and case report 559

Malignant hemangioendothelioma of the left calcaneus associated with fever and hematological abnormalities (case report) 64

Malignant lesion, pubic osteolysis mimicking: report of a case with a fracture-dislocation of the sacroiliac joint 438

Malposition of the tibial tubercle during flexion in knees with patellofemoral arthritis 597

Marrow, red, MR assessment of distribution and composition in the proximal femur: correlation with clinical and laboratory parameters 589

Medial Segond-type fracture: cortical avulsion off the medial tibial plateau associated with tears of the posterior cruciate ligament and medial meniscus (case report) 553

Meniscal position on routine MR imaging of the knee 424

Mesenchymal chondrosarcoma, extraskeletal, of the rectus sheath (case report) 501

Metachronous multiple aneurysmal bone cysts (case report) 564

Metastases, multiple distal soft tissue, chondroblastoma with (case report) 493

Metastases, osteoblastic, from breast carcinoma with false-negative bone scan (case report) 434

Metastases, skip, in Ewing's sarcoma: a report of three cases 379

Metastases, the case for, in synchronous multicentric osteosarcoma 569

MIBG imaging in the neuroblastoma diagnostic strategy, place of (letter to the editors) 323

Microscopic intraosseous extension of osteosarcoma: assessment on dynamic contrast-enhanced MRI 214

Morel-Lavallée effusions in the thigh 239 MR appearance of parasymphyseal insufficiency fractures of the os pubis 525 MR arthrography of the wrist, scapholunate interosseous ligament in: correlation with non-enhanced MRI and wrist arthroscopy 263

MR assessment of red marrow distribution and composition in the proximal femur: correlation with clinical and laboratory parameters 589

MR diagnosis of traumatic tear of the spring ligament in a pole vaulter (case report) 310

MR findings in iliotibial band syndrome

MR imaging and pathologic correlation: septum-like structures in lipoma and liposarcoma 150

MR imaging based strategies in limb salvage surgery for osteosarcoma of the distal femur 636

MR imaging findings in hibernoma (letter to the editors) 507

MR imaging of musculoskeletal tumors and tumor mimickers with intravenous gadolinium: experience with 242 patients 2

MR imaging of supra-acetabular insufficiency fractures 279

MR imaging of the knee, routine, meniscal position on 424

MRI appearance of primary non-Hodgkin's lymphoma of bone 629

MRI appearances of dysplasia epiphysealis hemimelica of the knee 226

MRI diagnosis of diabetic muscle infarction: report of 2 cases 122

MRI, fat suppressed, of musculoskeletal infection: fast T2-weighted techniques versus gadolinium-enhanced T1-weighted images 654

MRI features of chloroma of the shoulder (case report) 70

MRI gadolinium enhancement of bone marrow: age-related changes in normals and in diffuse neoplastic infiltration 414

MRI in chronic recurrent multifocal osteomyelitis 230

MRI in the diagnosis of insufficiency fractures of the sacrum and acetabular roof, role of 517

MRI of injuries to the ankle joint: can it predict clinical outcome? 82

MRI of multiple glomus tumors of the finger (case report) 664

MRI of osteonecrosis in divers: comparison with plain radiographs 354

Muscle, skeletal, non-Hodgkin lymphoma in, manifesting as homogeneous masses with CT attenuation similar to muscle

Musculoskeletal infection, fat-suppressed MRI of: fast T2-weighted techniques versus gadolinium-enhanced T1-weighted images 654

Musculoskeletal tumors and tumor mimickers, MR imaging of, with intravenous gadolinium: experience with 242 patients 2

Mycetoma of the calf (case report) 319

Myofibromatosis, infantile (case report) 611

Myositis, iliopsoas, mimicking appendicitis: MRI diagnosis (case report) 316

Natural course of erosive arthropathy of the hand in patients undergoing hemodialysis 20

Necrosis, ischaemic, of the entire femoral head and rapidly destructive hip disease: potential causative relationship 143

Neurilemmoma, intraosseous, of the fibula (case report) 60

Neuroblastoma diagnostic strategy, place of mIBG imaging in (letter to the editors) 323

Non-Hodgkin lymphoma in skeletal muscle manifesting as homogeneous masses with CT attenuation similar to muscle 633

Non-Hodgkin's lymphoma of bone, primary, MRI appearances of 629

Normal morphology of sacroiliac joints in children: magnetic resonance studies related to age and sex 697

Normal variant, anatomic basis of a: C2-3 facet joint 'pseudo-fusion' 27

Observer variation in the detection of acetabular bone deficiencies 272

Os acromiale: evaluation of markers for identification on sagittal and coronal oblique MR images 31

Os sustentaculi: depiction on MR images (case report) 505

Ossifying fibromyxoid tumor of soft parts, radiographic appearance of (case report) 615

Osteitis pubis (symphysis pubis stress injury) and sacroiliac abnormalities, the relationship between, in athletes with pelvic stress injuries 711

Osteoblastic metastases from breast carcinoma with false-negative bone scan (case report) 434

Osteochondritis dissecans of the femoral condyles, untreated: prediction of patient outcome using radiographic and MR findings 463

Osteochondroma, radiation-induced, malignant degeneration of (case report) 195

Osteochondromatosis, multiple, dedifferentiated chondrosarcoma in patients with: report of a case and review of the literature 370

Osteogenesis imperfecta, hyperplastic callus formation in (*letter to the editors*) 744

Osteoid osteoma, subperiosteal: radiographic and pathologic manifestations

Osteolysis of the distal clavicle, does it occur following spinal cord injury? 16

cur following spinal cord injury? 16 Osteolysis, pubic, mimicking a malignant lesion: report of a case with a fracturedislocation of the sacroiliac joint 438

Osteomyelitis, candida, and disc space infection of the lumbar spine (case report)

- Osteomyelitis, chronic recurrent multifocal: a radiological and clinical investigation of five cases 579
- Osteomyelitis, chronic recurrent multifocal, MRI in 230
- Osteonecrosis, avascular, of the acetabulum 509
- Osteonecrosis in divers, MRI of: comparison with plain radiographs 354
- Osteopetrosis, autosomal dominant: report of a Norwegian family with radiographic or anamnestic findings differing from the generally accepted classification 173
- Osteoporosis, transient, of the knee (case report) 306
- Osteosarcoma, microscopic intraosseous extension of: assessment on dynamic contrast-enhanced MRI 214
- Osteosarcoma of the distal femur, MR imaging based strategies in limb salvage surgery for 636
- Osteosarcoma, soft tissue, with telangiectatic features: MR imaging findings in two cases (case report) 732
- Osteosarcoma, synchronous multicentric: the case for metastases 569
- Paget's disease, lymphoma arising in (case report) 729
- Paget's disease of bone, chondrosarcoma as a complicating factor in (case report) 497
- Parosteal osteosarcoma, dedifferentiated, of the radius (case report) 242
- Pelvic insufficiency fractures associated with radiation atrophy: clinical recognition and diagnostic evaluation 94
- Pelvic stress injuries: the relationship between osteitis pubis (symphysis pubis stress injury) and sacroiliac abnormalities in athletes 711
- Pelvis: ischiopubic insufficiency fractures: MRI appearances 705
- Pelvis: MR appearance of parasymphyseal insufficiency fractures of the os pubis 525
- Pelvis: role of MRI in the diagnosis of insufficiency fractures of the sacrum and acetabular roof 517
- Percutaneous musculoskeletal procedures, potentials of laser guidance system for 650
- Periosteal chondrosarcoma invading the medullary cavity (case report) 375 Periosteal gouty tophi of the anterior mid
- tibia (case report) 260 Peroneus longus tendon entrapment, en-
- Peroneus longus tendon entrapment, enlarged peroneal process with (case report) 313
- Pilomatrixoma (giant calcifying epithelioma of Malherbe): imaging features (case report) 602
- Place of mIBG imaging in the neuroblastoma diagnostic strategy (letter to the editors) 323
- Plain film evaluation of degenerative disk disease at the lumbosacral junction 161

- Plain film views, how many are necessary for the initial examination in acute knee trauma? 298
- PNET in a child with tuberous sclerosis (case report) 184
- Post-traumatic bone marrow abnormalities, comparison of pulse sequences in the detection of, at low field strength MRI 538
- Potentials of laser guidance system for percutaneous musculoskeletal procedures 650
- Prevalence of diffuse idiopathic skeletal hyperostosis (DISH) in two large American Midwest metropolitan hospital populations 222
- Primary hemangiopericytoma of bone located in the tibia (case report) 47
- Primitive neuroectodermal tumor in a child with tuberous sclerosis (case report) 184
- Pubic osteolysis mimicking a malignant lesion: report of a case with a fracture-dislocation of the sacroiliac joint 438
- Publication, twenty years of 1
- Radiation atrophy, pelvic insufficiency fractures associated with: clinical recognition and diagnostic evaluation 94
- Radiation-induced brachial plexopathy: MR imaging 284
- Radiation-induced osteochondroma, malignant degeneration of (case report) 195 Radiographic appearance of an ossifying
- fibromyxoid tumor of soft parts (case report) 615
- Radiographic evaluation for acromial morphology, reliability of 718
- Radiographic measurements of dysplastic adult hips 75
- Radiologist's guide to the imaging in the diagnosis and treatment of developmental dysplasia of the hip. I. General considerations, physical examination as applied to real-time sonography and radiography 386
- Radiologist's guide to the imaging in the diagnosis and treatment of developmental dysplasia of the hip. II. Ultrasonography: anatomy, technique, acetabular angle measurements, acetabular coverage of femoral head, acetabular cartilage thickness, three-dimensional technique, screening of newborns, study of older children 447
- Reflex sympathetic dystrophy, ulnar distribution of, due to compression of the brachial plexus by a primary venous malformation (case report) 303
- Reliability of radiographic evaluation for acromial morphology 718
- Renal transplant patient, sternal abscess due to *Bartonella* (*Rochalimaea*) *henselae* in a (*case report*) 431
- Rhabdomyosarcoma, embryonal, of foot with expansive growth between metatarsals (case report) 128
- Rheumatoid ankle, frequent manifestation of: distal fibular notch 529

- Role of MRI in the diagnosis of insufficiency fractures of the sacrum and acetabular roof 517
- Sacroiliae abnormalities and osteitis pubis (symphysis pubis stress injury), the relationship between, in athletes with pelvic stress injuries 711
- Sacroiliac joint, bilateral fracture-dislocation of (case report) 556
- Sacroiliac joint, fracture-dislocation of, and pubic osteolysis mimicking a malignant lesion: report of a case 438
- Sacroiliac joints in children, normal morphology of: magnetic resonance studies related to age and sex 697
- Sacrum and acetabular roof, insufficiency fractures of, role of MRI in the diagnosis of 517
- Sarcoma of bone, hyperparathyroidism associated with 107
- Scapholunate interosseous ligament in MR arthrography of the wrist: correlation with non-enhanced MRI and wrist arthroscopy 263
- Sclerosing epithelioid fibrosarcoma: short T2 on MR imaging (case report) 619
- Segond-type fracture, medial: cortical avulsion off the medial tibial plateau associated with tears of the posterior cruciate ligament and medial meniscus (case report) 553
- Septum-like structures in lipoma and liposarcoma: MR imaging and pathologic correlation 150
- Shoulder: anteroinferior tears of the glenoid labrum: fat-suppressed fast spinecho T2 versus gradient-recalled echo MR images 293
- Shoulder: os acromiale: evaluation of markers for identification on sagittal and coronal oblique MR images 31
- Shoulder: reliability of radiographic evaluation for acromial morphology 718
- Shoulder: sonographic anatomy of the supraspinatus tendon and adjacent structures 89
- Skin and bones: dermatologic conditions with skeletal abnormalities 201
- Skip metastases in Ewing's sarcoma: a report of three cases 379
- Slipped capital femoral epiphysis, bilateral, occurring in an adult with acromegalic gigantism (*case report*) 188
- Soft tissue, liposarcoma of: MRI findings with pathologic correlation 167
- Soft tissue osteosarcoma with telangiectatic features: MR imaging findings in two cases (case report) 732
- Soft tissue tumor in a heart transplant recipient, gouty tophus simulating (case report) 626
- Solitary bone cyst, Ewing's sarcoma presenting as (case report) 722
- Sonographic anatomy of the supraspinatus tendon and adjacent structures 89
- Spinal cord injury, does osteolysis of the distal clavicle occur following? 16

Spinal tuberculosis, posterior or vertebral arch (case report) 737

Spine: plain film evaluation of degenerative disk disease at the lumbosacral junction 161

Spine: traumatic thoracolumbar instability: characteristic imaging findings 360

Spine: tuberculosis of contralateral costotransverse joints (case report) 741Spondylarthropathies, CT of sternoclavicu-

lar joint lesions in 419

Spondyloepiphyseal dysplasia tarda, autosomal dominant, Chiari malformation and tonsillar ectopia in twin brothers and father with (case report) 131

Spring ligament, traumatic tear of, in a pole vaulter, MR diagnosis of (case re-

port) 310

Sternal abscess due to *Bartonella* (*Rochali-maea*) *henselae* in a renal transplant patient (*case report*) 431

Sternoclavicular joint, hemodialysis-related amyloidosis of (case report) 428 Sternoclavicular joint lesions in spondylo-

Sternoclavicular joint lesions in spondyloarthropathies, CT of 419

Stress injuries, pelvic: the relationship between osteitis pubis (symphysis pubis stress injury) and sacroiliac abnormalities in athletes 711

Subperiosteal osteoid osteoma: radiographic and pathologic manifestations 457

Supra-acetabular insufficiency fractures, MRI of 279

Supra-acetabular line (letter to the editors) 199

Supraspinatus tendon and adjacent structures, sonographic anatomy of 89

Synchronous multicentric osteosarcoma: the case for metastases 569

Synovial chondromatosis of the right hip, synovial chondrosarcoma arising in (case report) 366

Synovial chondrosarcoma arising in synovial chondromatosis of the right hip (case report) 366

Synovial citondrosarcoma: report of a case and review of the literature 682

Synovial sarcoma, extensively calcified (case report) 671

Synovial sarcoma, intraneural (case report) 677

Synovial sarcoma of the hand (case report) 674

Talar fractures, helical CT of 137 Tear, traumatic, of the spring ligament in a

pole vaulter, MR diagnosis of (case report) 310

Tendons, ankle, xanthomatous infiltration of (case report) 256

Tibial tubercle, malposition of, during flexion in knees with patellofemoral arthritis 597

Total hip replacement, malignant fibrous histiocytoma at the site of: review of the literature and case report 559

Transient osteoporosis of the knee (case report) 306

Translational injuries in posterior elbow dislocation (case report) 134

Traumatic thoracolumbar facet instability: characteristic imaging findings 360

Tuberculosis of contralateral costo-transverse joints (*case report*) 741
Tuberculosis, vertebral arch or posterior

spinal (case report) 737
Tuberous sclerosis, primitive neuroectodermal tumor in a child with (case report)

Tumors, musculoskeletal, and tumor mimickers, MR imaging of, with intravenous gadolinium: experience with 242 patients 2

Tunnel placement in anterior cruciate ligament reconstruction: MRI analysis as an important factor in the radiological report 409

Ulnar distribution of reflex sympathetic dystrophy due to compression of the brachial plexus by a primary venous malformation (case report) 303

Ultrasonography: anatomy, technique, acetabular angle measurements, acetabular coverage of femoral head, acetabular cartilage thickness, three-dimensional technique, screening of newborns, study of older children. Radiologist's guide to the imaging in the diagnosis and treatment of developmental dysplasia of the hip. Part II. 447

Unicameral bone cyst, epiphyseal extension of (case report) 51

Untreated osteochondritis dissecans of the femoral condyles: prediction of patient outcome using radiographic and MR findings 463

Vertebral arch or posterior spinal tuberculosis (case report) 737

Wrist: dynamic MR imaging of carpal tunnel syndrome 482

Wrist, scapholunate interosseous ligament in MR arthrography of: correlation with non-enhanced MRI and wrist arthroscopy 263

Xanthomatous infiltration of ankle tendons (case report) 256

